

PCT

Recherche  
WORLD INTELLECTUAL PROPERTY ORGANIZATION  
International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification<sup>6</sup>:

H04N 7/16, 7/173

Reg.

A1

(11) International Publication Number:

WO 99/31883

(43) International Publication Date:

24 June 1999 (24.06.99)

(21) International Application Number: PCT/US98/26282

(22) International Filing Date: 10 December 1998 (10.12.98)

(30) Priority Data:

60/069,578 12 December 1997 (12.12.97) US  
09/195,104 18 November 1998 (18.11.98) US

(71) Applicant: GENERAL INSTRUMENT CORPORATION  
[US/US]; 101 Tournament Drive, Horsham, PA 19044  
(US).

(72) Inventors: KANNAN, Navneeth; 4169 Milords Lane,  
Doylestown, PA (US). CHATTERJEE, Abhijit; 757 E.  
Main Street #F-107, Lansdale, PA 19446 (US).

(74) Agents: KANANEN, Ronald, P. et al.; Rader, Fishman  
& Grauer PLLC, Suite 501, 1233 20th Street, N.W.,  
Washington, DC 20036 (US).

(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR,  
BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE,  
GH, GM, HR, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ,  
LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW,  
MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ,  
TM, TR, TT, UA, UG, UZ, VN, YU, ZW, ARIPO patent  
(GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent  
(AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent  
(AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT,  
LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI,  
CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).


Published

With international search report.

(54) Title: METHOD AND APPARATUS FOR PROVIDING DEMAND-BASED APPLICATION DOWNLOADING VIA AN IN-BAND CHANNEL TO A SET-TOP TERMINAL

(57) Abstract

A method and apparatus for decreasing the memory demands for storing application programming in a set-top terminal includes providing an in-band channel or channels on which programming which is only occasionally needed is continuously broadcast. When a particular application which is not stored in static memory is selected, the program code for that application can be downloaded from the dedicated channel which is continuously broadcasting set-top terminal programming. Therefore, such programming need not be permanently stored in expensive memory within the terminal itself.



**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece			TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	NZ	New Zealand		
CM	Cameroon			PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakhstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

Method and Apparatus for Providing Demand-Based  
Application Downloading Via an In-Band Channel to a  
Set-top Terminal.

FIELD OF THE INVENTION

5       The present invention relates to the field of  
cable television systems. More particularly, the  
present invention relates to the field of application  
programming in set-top terminals which connect a  
subscriber's television to the cable network.

10    BACKGROUND OF THE INVENTION

Cable television systems are extremely popular in  
modern society. By subscribing to a cable television  
network, a subscriber can have access in his or her  
home to dozens of channels of television programming  
15   that are not otherwise available.

As cable networks develop and become more  
sophisticated more and more features are available to  
subscribers. For example, some cable systems now offer  
high-fidelity stereo quality sound, parental control of  
20   which channels are received, and a programmed listing  
of the subscriber's favorite channels for more ready  
access to those channels.

Additionally, most cable systems offer several  
premium channels which, for an additional fee, can be  
25   selected and added to the channels received by the  
subscriber. Some cable systems also offer internet  
access or electronic mail features.

These advanced features of a cable system are typically implemented in a set-top terminal. A set-top terminal is a box of electronic circuitry which is connected between the subscriber's television set and  
5 the cable network. The set-top terminal usually includes a computer processor and is programmed to provide those advanced features which are offered by the cable network.

However, as more and more such advanced features  
10 are offered by the cable network, an ever increasing amount of memory is needed in the set-top terminals to store all the programming necessary to implement the advanced features of the cable system. The amount of memory required is the single most significant factor  
15 in the cost of manufacturing set-top terminals. Consequently, as the memory requirements are increased to accommodate more features, the cost of the terminals and of subscribing to and operating a cable network is also increased.

20 Consequently, there is a need in the art for a method and apparatus of providing all the desired features that can be used with a cable network without requiring large amounts of memory in the set-top terminal to store the programming for these features.

25 SUMMARY OF THE INVENTION

Therefore, it is an object of the present invention to meet the above-described needs and others. Specifically, it is an object of the present invention to provide a method and apparatus by which a set-top  
30 terminal can have access to the necessary programming to implement all the desired features of the cable

system without being required to permanently store such programming in its own limited memory.

Additional objects, advantages and novel features of the invention will be set forth in the description  
5 which follows or may be learned by those skilled in the art through reading these materials or practicing the invention. The objects and advantages of the invention may be achieved through the means recited in the attached claims.

10 To achieve the stated and other objects, the present invention may be embodied and described as a method of providing application programming to a set-top terminal without storing the programming in a static memory of the terminal. The method includes  
15 broadcasting application programming for execution by the set-top terminal over at least one dedicated channel which can be tuned and received by the set-top terminal.

In more detail, the method of the present  
20 invention includes the steps of receiving a selection of an application through a user input device; tuning the at least one dedicated channel on which programming for the selected application is being broadcast; and retrieving the programming for the selected  
25 application. After the retrieval, the method continues with storing the programming in dynamic memory; and executing the programming. After the execution of the retrieved programming, the method may preferably include freeing the dynamic memory for other use.

30 Retrieving the programming may also include determining a size of the programming; and allocating a

sufficient portion of the dynamic memory in which to store the programming. To aid in the rapid transmission of the programming over the dedicated channel, the programming may be compressed. Where the  
5 programming is compressed, the method of the present invention includes the step of decompressing the programming prior to its execution.

Preferably, the broadcasting of the programming over one or more dedicated channels includes  
10 periodically re-broadcasting programming for particular applications. The re-broadcast should preferably be continuous to insure that programming needed by the set-top terminal is always available.

Aside from the foregoing method, the present  
15 invention also encompasses a cable system and set-top terminal which include: at least one dedicated channel of the cable system on which application programming for the set-top terminal is broadcast; a tuner of the set-top terminal for tuning the at least one dedicated  
20 channel; and a processor of the set-top terminal for downloading the application programming. Preferably, the at least one dedicated channel over which application programming is broadcast includes at least one in-band channel.

25 The set-top terminal of the present invention also includes a dynamic memory for storing the application programming downloaded by the processor and a user input device through which a user can select an application to be executed by the set-top terminal.  
30 Selection of an application by the user with the user input device causes the processor to download

application programming corresponding to that application from the at least one channel.

#### BRIEF DESCRIPTION OF THE DRAWINGS

The accompanying drawings illustrate the present invention and are a part of the specification. Together with the following description, the drawings demonstrate and explain the principles of the present invention.

Fig 1 is a block diagram illustrating a set-top terminal according to the present invention.

Fig. 2 is a flow chart illustrating a method of the present invention.

#### DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

In general principle, the present invention may be described as follows. To avoid storing all of the application programming in the set-top terminal which is used to implement the various features of the cable system, the programming is constantly broadcast over one or more of the in-band channels of the cable system. In this way, when a particular program is needed, the set-top terminal can tune to the channel or channels on which that application programming is being continually broadcast, download the application into the dynamic memory, execute the application and then clear the memory for other uses.

Using the drawings, the preferred embodiments of the present invention will now be explained. Fig. 1 illustrates a set-top terminal 100 according to the present invention. The set-top terminal 100 is connected to the cable network through a terminal 102

and to a subscriber's television set (not shown) through a terminal 107.

The cable television signal, which contains all the channel available on the cable network, is received through the terminal 102 and provided to a tuner 101. The tuner 101 selects or tunes a particular channel from all those available and passes the signal for that particular channel to the processor 103 of the set-top terminal 100. The processor 103 controls the tuner 101, causing the tuner 101 to select the particular channel which is desired.

A user input device 106 is also provided in the set-top terminal 100. The user input device 106 can be any of a number of equivalent devices. For example, the user input device 106 may be a keyboard, keypad, joystick or trackball which is on or connected to the set-top terminal 100. The user input device 106 may be an optical (e.g., IR), acoustic (e.g., ultrasonic) or radio frequency signal receiver which receives signals from a remote control device operated by the user. In short, the user input device 106 may be any device with which a user can input data to the processor 103 or select from among options offered by the processor.

Using the user input device 106, the user can inform the processor 103 which channel the user wishes to view. The processor 103 then controls the tuner 101 to select and display the desired channel.

The user may also use the user input device 106 to operate the more advanced features of the cable system. For example, with the user input device 106, a user may instruct the set-top terminal 100 to set up the IR



Blaster subsystem; set up parental control of the channels received, i.e., lock-out channels considered inappropriate for children; set or change passwords on controlled channels; set user preferences in the on-screen display, set up a listing of favorite channels for viewing, etc.

However, each of these functions requires an application program that is executed by the processor 103. In conventional set-top terminals, all such programming is stored in the static or flash memory 104 which requires that the static memory 104 be large and expensive. The static memory 104 is, for example, a flash EEPROM.

Under the principles of the present invention, to avoid having all these application programs stored in the flash memory 104, the processor 103 instructs the tuner 101 to tune a particular in-band channel or channels on which the code for these applications will be continually broadcast. This dedicated channel or channels preferably uses the vertical retrace portion also known as VBI.

The processor 103 then downloads the necessary application programming from the in-band channel broadcast and stores the application programming temporarily in the dynamic memory 105. The processor 103 can then execute the application programming and then clear it from the dynamic memory 105 when it is no longer needed.

The present invention is not limited to those particular examples of applications listed above which can be broadcast over the in-band channel to the set-

top terminal 100. Under the principles of the present invention, application programming for any application which is only needed periodically or occasionally by the set-top terminal can be provided over the dedicated  
5 in-band channel or channels for demand-based downloading by the set-top terminal 100. Any application that is not accessible to the user via a single key-stroke on a remote control unit or the set-top terminal's key pad 106, is a candidate from for  
10 demand-based retrieval and execution under the principles of the present invention.

Fig. 2 illustrates the method of the present invention. In block 201, the user selects an application to be run. This selection may be from a  
15 main menu or a branch of the main menu which is displayed by the processor 103 on the screen of the television set (not shown), i.e. the on-screen display.

In block 202, the processor 103 will determine whether the programming for the selected application is  
20 stored in the static memory 104. If yes, at block 203, the application is executed as requested.

If the application programming is not available in the static memory 104, the processor 103 will determine if the programming is available over a dedicated in-  
25 band channel or channels which continually broadcast application programming. If the programming is not available from the cable network 102 over a dedicated channel, then, in block 205, the selected application is not available and cannot be executed. The user is  
30 so informed using the on-screen display.

If, however, the application programming is available over the cable network, in block 206, the processor 103 controls the tuner 101 to tune to the dedicated in-band channel carrying the necessary programming. In block 207, the processor 103 determines the memory requirements of the programming and allocates a portion of the dynamic memory 105 as needed. In block 208, the processor 103 then retrieves the programming for the selected application from the broadcast on the dedicated in-band channel and stores the programming in the allocated memory. In order to make more programming available and to decrease the time required to download the programming, application programming on the dedicated in-band channel or channels may be compressed. Many methods of data compression will be widely known to those skilled in the art and are not detailed here. Any method of data compression may be used with present invention.

In block 209, the processor 103 determines if the downloaded programming is compressed. If not, the processor 103 executes the application at block 211. If the programming is compressed, the processor 103 decompresses the programming in block 210 before executing the application in block 211.

Finally, after the application programming has been executed and is no longer needed, the processor 103 can free the allocated memory for use by other software or software components. In this way, the memory required in the set-top terminal 100 is minimized, as is the cost of the terminal 100.

It should be noted that while an in-band channel or channels is the preferred means of broadcasting application programming, out-of-band channels may also be used within the spirit and scope of the invention.

5       The preceding description has been presented only to illustrate and describe the invention. It is not intended to be exhaustive or to limit the invention to any precise form disclosed. Many modifications and variations are possible in light of the above teaching.

10       The preferred embodiment was chosen and described in order to best explain the principles of the invention and its practical application. The preceding description is intended to enable others skilled in the art to best utilize the invention in various  
15       embodiments and with various modifications as are suited to the particular use contemplated. It is intended that the scope of the invention be defined by the following claims.

WHAT IS CLAIMED IS:

1. A method of providing application programming to a set-top terminal without storing said programming in a static memory of said terminal, the method comprising broadcasting application programming for execution by said set-top terminal over at least one dedicated channel which can be tuned and received by the set-top terminal.
2. A method as claimed in claim 1, further comprising:
  - receiving a selection of an application through a user input device based on subscriber/viewer action;
  - tuning said at least one dedicated channel on which programming for said selected application is being broadcast; and
  - retrieving said programming for said selected application.
3. A method as claimed in claim 2, further comprising:
  - storing said programming in dynamic memory; and
  - executing said programming.
4. A method as claimed in claim 3, further comprising freeing said dynamic memory for other use following said executing of said programming.
5. A method as claimed in claim 2, wherein said retrieving said programming further comprises:
  - determining a size of said programming; and
  - allocating a sufficient portion of said dynamic memory in which to store said programming.

6. A method as claimed in claim 3, wherein said executing said programming further comprises decompressing said programming.

7. A method as claimed in claim 1, wherein said  
5 broadcasting further comprises periodically re-broadcasting programming for particular applications on said at least one dedicated channel.

8. A method as claimed in claim 1, wherein said  
10 broadcasting further comprises continuously re-broadcasting programming for a plurality of particular applications on said at least one dedicated channel.

9. A cable system and set-top terminal comprising:

at least one dedicated channel of said cable  
15 system on which application programming for said set-top terminal is broadcast;

a tuner of said set-top terminal for tuning said at least one dedicated channel; and

a processor of said set-top terminal for  
20 downloading said application programming

10. A system and terminal as claimed in claim 9, further comprising a dynamic memory of said set-top terminal for storing said application programming downloaded by said processor.

25 11. A system and terminal as claimed in claim 9, further comprising a user input device of said set-top terminal through which a user can select an application to be executed by said set-top terminal, wherein selection of said application causes said processor to  
30 download application programming corresponding to said application from said at least one channel.

12. A system and terminal as claimed in claim 9, wherein said at least one channel is at least one in-band channel.

13. A cable system and set-top terminal  
5 comprising:

at least one dedicated channel of said cable system on which application programming for said set-top terminal is broadcast;

a tuner means in said set-top terminal for tuning  
10 said at least one dedicated channel; and


a processor means in said set-top terminal for downloading said application programming

14. A system and terminal as claimed in claim 13, further comprising a dynamic memory means in said set-top terminal for storing said application programming  
15 downloaded by said processor means.


15. A system and terminal as claimed in claim 13, further comprising a user input means with said set-top terminal through which a user can select an application  
20 to be executed by said set-top terminal, wherein selection of said application causes said processor means to download application programming corresponding to said application from said at least one channel.

16. A system and terminal as claimed in claim 13,  
25 wherein said at least one channel is at least one in-band channel.

1/2

**Fig. 1**



**Fig. 2**

# INTERNATIONAL SEARCH REPORT

International Application No  
PCT/US 98/26282

## A. CLASSIFICATION OF SUBJECT MATTER

IPC 6 H04N7/16 H04N7/173

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 H04N

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 5 635 979 A (HUDSON JR HENRY G ET AL) 3 June 1997  see column 4, line 7 - column 5, line 19 see column 9, line 28 - line 43 see column 10, line 44 - line 58 see column 11, line 36 - line 46 see column 16, line 12 - line 35 ---	1-4, 9-11, 13-15
X A	WO 97 30549 A (POWERTV INC) 21 August 1997  see page 6, line 9 - line 19 see page 8, line 20 - page 9, line 14 see page 12, line 12 - line 17 see page 16, line 10 - page 17, line 18 see page 18, line 7 - line 13 --- -/--	9-16 2,3,5-8

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

### \* Special categories of cited documents :

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

31 March 1999

Date of mailing of the international search report

09/04/1999

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
Fax: (+31-70) 340-3016

Authorized officer

Sindic, G

# INTERNATIONAL SEARCH REPORT

Inter. Application No.

PCT/US 98/26282

## C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 5 619 250 A (MCLELLAN STEPHEN R ET AL) 8 April 1997 see column 4, line 50 - line 59	1,9,13
A	US 5 585 838 A (MATTHEWS III JOSEPH H ET AL) 17 December 1996 see column 3, line 13 - line 46	1,9,13

# INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/US 98/26282

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
US 5635979	A	03-06-1997	AU 2657995 A	21-12-1995
			WO 9533338 A	07-12-1995
			US 5666293 A	09-09-1997
			US 5768539 A	16-06-1998
WO 9730549	A	21-08-1997	AU 1693597 A	02-09-1997
			EP 0880857 A	02-12-1998
US 5619250	A	08-04-1997	NONE	
US 5585838	A	17-12-1996	NONE	

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☒ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**

**THIS PAGE BLANK (USPTO)**